interweb

Generated on 21/10/2026 17:23

KNOWLEDGE BASE · PUBLIC DOCUMENT

CORS error between your front end and your API: how to fix it

Node.js, Python & Docker


CODE	VERSION	COUNTRY · LANGUAGE
RLX-MZ-KB-1100	v2026.10.10	Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/1100

CORS error between your front end and your API: how to fix it

Node.js, Python & Docker Created on **October 10, 2026** 2 min read



"Access to fetch at … has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present". It is one of the most searched messages for anyone who splits the site (React, Vue) from the API (Node, Python). **The short answer:** the block is done by the **browser**, not the server, and it is lifted only if the **API** says, in response headers, that this site's origin may read the response. The request reached the API; it is the browser that will not let your JavaScript see the result.

What an "origin" is

The origin is the set of **protocol + domain + port**. `https://asuaempresa.co.mz`, `https://www.asuaempresa.co.mz`, `http://asuaempresa.co.mz` and `https://api.asuaempresa.co.mz` are four different origins. If the site is served from one and the API from another, it is a cross-origin request, and the browser demands permission. For requests that change data or carry custom headers, it first sends a "preflight" request (`OPTIONS`); if the API does not answer that one properly, the real request never leaves.

Making the API allow the right origin

The API is in…	Library	Configuration (example)
Express (Node.js)	`cors` (`npm install cors`)	`app.use(cors({ origin: "https://asuaempresa.co.mz" }))`
Flask	`flask-cors`	`CORS(app, origins=["https://asuaempresa.co.mz"])`
Django	`django-cors-headers`	`CORS_ALLOWED_ORIGINS = ["https://asuaempresa.co.mz"]` and the *middleware* at the top of the list
FastAPI	Ships with `CORSMiddleware`	`app.add_middleware(CORSMiddleware, allow_origins=["https://asuaempresa.co.mz"])`

Give the **exact** origin of your site, with the protocol and no trailing slash. Then restart the API: **Node applications**, and Python ones, keep the old code until they are restarted.

The CORS error can be hiding another one.

If the API returns a 500 or a 503, the error page carries no CORS headers, and the browser shows the CORS error instead of the real one. Before touching the configuration, open the API address directly (or use `curl -i`) and see whether it answers properly. If it does not, the problem is not CORS: **a 503 on a Node.js app**.

Do not put `*` out of laziness.

Allowing any origin is acceptable for a public read-only API. For an API with accounts, passwords or cookies it is not: it opens the door to any site. On top of that, the browser rejects `*` when the request carries cookies or credentials. List the origins you actually use.

The solution that avoids the problem:

Serve the site and the API from the *same origin*, for instance the API on an `/api` path of the same domain, behind a proxy. With no cross-origin requests there is no CORS. On a VPS it comes naturally: **nginx as a reverse proxy**.

NEED A HAND?

The API answers curl and the browser still blocks it? Tell us the site's domain, the API's, and what the browser console shows.

Open a support ticket →

SEE ALSO

- **Publishing a React or Vue site: the build folder, and the refresh that gives a 404** →
- **Running a Flask or FastAPI application** →
- **Nginx as a reverse proxy in front of a container** →

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-1100 · v2026.10.10 · Generated on 21/10/2026 17:23