

KNOWLEDGE BASE · PUBLIC DOCUMENT

Callback URL or return URL: why a customer coming back is not proof of payment

PHP & Development

CODE

RLX-MZ-KB-2166

VERSION

v2026.10.16

COUNTRY · LANGUAGE


Mozambique · English

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

Tax ID (NUIIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

<https://www.meu.interweb.co.mz/knowledgebase/2166>



The short answer: an online payment usually involves two addresses of yours that the operator uses. The **return URL** (or success URL) is where the **customer's browser** is sent after paying: it is there to show them a page. The **callback URL** (also called notify URL, IPN or webhook) is called by the **operator's server** directly to yours: that is the one that confirms the payment. Marking orders as paid because the customer reached the return URL means accepting proof anyone can type by hand, such as `https://asuaempresa.co.mz/thank-you?order=1042&status=paid`, and missing the payments of everyone who closed the tab before coming back. This is for whoever codes or configures a site's payment integration.

The two addresses, side by side

Criterion	Return URL	Callback URL
Who calls it	The customer's browser.	The operator's server.
What it is for	Showing a page: thank you, waiting, failed.	Changing the order's status.
Can you trust it?	No. It can be typed by hand, or never happen (tab closed, network down, phone out of battery).	Yes, once you have checked the signature or confirmed the status with the operator's API.
What it should return	A page for the customer to read.	A 200 code, quickly. Nobody reads anything else.
Can it require a login?	Yes.	No. The operator has no session on your site and cannot solve captchas.

Setting up a callback URL that works

1

Use the final address, with HTTPS and no redirects. If the site redirects from http to https, or from www to the bare domain, the operator's POST can arrive as a GET with no body. Test it as in **what a webhook is and how to test one with curl**: it must answer without a 301 or 302.

2

Keep it clear of anything that stops a visitor: password-protected areas, maintenance mode, captchas, plugins that block requests without a browser. If the operator gets a 403, see **errors 500, 403, 404 and 508** and **why an IP gets blocked by the firewall**.

3

Confirm the origin before touching the order: check the signature (**receiving a webhook in PHP and checking its signature**) or, if the operator does not sign, use only the identifier you received to ask its API for the real status. Never trust the status or amount in the request without one of these two checks.

4

Check what was paid: the amount and currency match the order, and the order is still pending. A repeated notice for an order already paid is checked again and ignored: **retries and idempotency**.

5

Answer fast, work afterwards. Log every call (time, identifier, outcome of the check) to a file or a table, answer 200, and do the heavy work after that. If your code is slow, the operator may treat the call as failed and send it again.

6

On the return page, show what YOUR server knows: paid, or “waiting for confirmation”. Never what is in the address. If the callback has not arrived yet, the page says pending and, when it does arrive, the customer gets the confirmation by e-mail.

“The customer paid but the order is still pending” nearly always means the callback did not arrive or was refused: a wrong address in the operator’s settings, a redirect, a 403 block, or a 500 error in your code. Check the **PHP error log** and the operator’s dashboard, which often lists the notification attempts and the code your site returned.

When you change domain, move to HTTPS or change the shop’s path, update the callback URL in the operator’s settings (or in the code, if it is sent with each request). It is the most forgotten step of a migration, and payments keep coming in without the site noticing.

The operator says it notified your site and you see nothing in the log? Open a ticket with the callback address and the time of one notice, and we will look for the request in the hosting logs.

[Open a support ticket](#)

SEE ALSO

[Receiving a webhook in PHP and checking its signature](#)

[What a webhook is, and how to test one with curl](#)

[Synchronous or asynchronous: why a payment or SMS confirmation arrives later](#)

[Timeouts, retries and idempotency: how not to charge a customer twice](#)

[How online payments work: gateway, processor and merchant account in plain words](#)

[Where the PHP error log is, how to read it, and the errors you will see most](#)



Online version of this document

Interweb is a leading internet services company, with a mission to help businesses to be born and prosper through technology.

2020

FOUNDED

37,000+

CLIENTS

130+

SIGN-UPS A DAY

Interweb Mozambique

RLX Holdings, S.A. • Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 • CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz • +258 84 635 1111 • +258 86 635 1111 • www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed