interweb

Generated on 13/11/2026 19:34

KNOWLEDGE BASE · PUBLIC DOCUMENT

# Handing our API docs to a developer or agency: section links, Markdown and the specification

WhatsApp & APIs

| CODE | VERSION | COUNTRY · LANGUAGE |
| --- | --- | --- |
| RLX-MZ-KB-2744 | v2026.11.13 | Mozambique · English |

**Interweb Mozambique**
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/2744

# Handing our API docs to a developer or agency: section links, Markdown and the specification

WhatsApp & APIs Created on **November 13, 2026** 2 min read



**The short answer:** you do not need to explain the API to whoever is programming. Just send the **right links**: the start page, the area that matters, the rules and the specification. And a key **just for them**, if they need to test, never your own.

## What to send, depending on the job

| For | What to send |
|---|---|
| **Getting started** | **The home page** and **Get started with the API**. |
| **A specific task** | The area page, or the direct link to the operation. |
| **An integration that does not break** | **The API rules**. |
| **Importing into their tools** | The OpenAPI specification, at the end of the **reference**. |
| **Working with an AI assistant** | The **llms.txt** file and the Markdown versions of the pages. |

## Linking to a section or an operation

Next to every section heading there is a link symbol: one click copies the address of that section and you see "Link copied". Operations have the same symbol, and whoever opens the link lands with the operation already open. So instead of "see the bit about limits", you send the exact spot.

## The key: one for them, never yours

1. **Create a separate key** for the developer, in Meu Interweb, on the API page, with a name that identifies them.

2. **Start in Sandbox**: it reads real data, but writes are simulated and nothing is charged.

3. **Give only the permissions** the job needs, and a short validity.

4. **When the job is done,** revoke it. To put the system into real use, create a `prod_` key with the minimum permissions.

**Never send your production key by email or message.**
If a key has been somewhere it should not, revoke it and create another: **what to do, in the right order**.

## In the language of whoever is programming

If the developer prefers Portuguese, send the links to the Portuguese version, which has the same content: see **where each language lives**.

**Agree on two rules from the start:**
The key lives in an environment variable, outside the code, and every reported problem includes the `X-Correlation-ID` from the response. It saves days of back and forth.

RECOMMENDED

Start by sending the documentation home page.

**Open the documentation →**

SEE ALSO

- **Our API documentation: what it is, who it is for and how to find it** →
- **A reading path through our API docs: from the first request to a finished integration** →
- **Our API docs in Portuguese or English: where each language lives and how to switch** →
- **Our API docs and AI tools: the llms.txt file and giving an assistant the whole documentation** →
- **An API key or token has leaked: what to do, in the right order** →

interweb

## Interweb Mozambique

**RLX Holdings, S.A. · Group RLX Holdings**

| | |
|---|---|
| TAX ID (NUIT) | 401 191 607 |
| LEGAL ENTITY NO. (NUEL) | 105 045 974 |
| ECONOMIC ACTIVITY CODE (CAE) | 62022 |
| REGISTERED OFFICE | Bairro 7 de Setembro<br>Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique |
| CONTACT | info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz |
| OPENING HOURS | Monday to Friday - 08 AM to 04 PM<br>Saturday & Sunday - Closed |

Online version of this document

RLX-MZ-KB-2744 · v2026.11.13 · Generated on 13/11/2026 19:34