interweb

Generated on 13/11/2026 19:34

KNOWLEDGE BASE · PUBLIC DOCUMENT

Our API in one page: what you can automate in your account, area by area

WhatsApp & APIs

CODE	VERSION	COUNTRY · LANGUAGE
RLX-MZ-KB-2746	v2026.11.13	Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/2746

Our API in one page: what you can automate in your account, area by area

WhatsApp & APIs Created on **November 13, 2026** 4 min read



The short answer: the API lets your own program do much of what you do by hand in Meu Interweb: register domains, change DNS, create mailboxes, restart a VPS, pay invoices from your credit balance or open a support ticket. It is a REST API, it answers in **JSON**, it works over **HTTPS** only, and every request carries a **key** that you create on the **API page in Meu Interweb**.

The essentials at a glance

What	How it works
Base address	`https://api.interweb.co.mz/v1`
Format	JSON over HTTPS. Field names are in English.
Authentication	A key in the `Authorization: Bearer ...` header, never in the address.
Two modes	**Sandbox** (`sandbox_`): reads real data and simulates changes. **Production** (`prod_`): reads and changes the account.
Languages	Error messages come in Portuguese or English, following the `Accept-Language` header. Without it, they come in English.
Who can use it	The owner of an account with an active service or domain. Up to 20 keys per account.

What it does, area by area

Area	Examples of what it does
Domains	Check a name, register, renew, transfer, change nameservers, transfer lock and auto-renewal.
DNS	Read the zone, add, change and delete records, restore a zone backup.

Area	Examples of what it does
Hosting	Plan usage, subdomains, addon domains, databases, cron, SSL, PHP options, backups and FTP.
E-mail	Mailboxes, passwords, quotas, forwarders, autoresponders, the default address and the status of SPF, DKIM and DMARC.
VPS servers	See the state, start, stop, restart, root password, backups, reinstall and restore.
SMS	Send messages and check the balance, history and templates.
Invoices	List, download the PDF, pay with credit, change the renewal cycle and request a cancellation.
Account	Read the account details, contacts and users.
Catalogue	Products, domain extensions, currencies and billing cycles, with prices.
Support	Open, reply to and close tickets, read the Knowledge Base and announcements.
Extras	See SSL certificates, SiteLock and other extras, and buy some of them with credit.
Reseller	See your reseller programs and reseller hosting accounts.

Anything not in the API does not exist there yet: you do it in Meu Interweb. The API grows in phases, and the documentation says, for each area, what exists today and what is planned.

Who it is for

1. **Resellers and agencies:** register domains, change DNS and create mailboxes for their clients without opening Meu Interweb. See **the API for resellers**.

2. **Business systems and websites:** check and pay invoices with credit, open support tickets or send SMS to customers.

3. **Server automation:** scripts that start, restart or reinstall a VPS and keep nameservers and DNS up to date.

How to start

1. **Test the connection.** `GET /v1/ping` answers without a key, which makes it the best first test.

2 **Create a Sandbox key** on the **API page**, with only the permissions you need. The walkthrough is in **creating an API key**.

3 **Make your first request with the key:** `GET /v1/token` shows the mode, permissions, validity and limits of the key.

4 **Once your program is ready,** create a Production key. The address and the operations stay the same: see **Sandbox or Production**.

```
curl https://api.interweb.co.mz/v1/ping
curl https://api.interweb.co.mz/v1/token -H "Authorization: Bearer $RLX_API_KEY"
```

A successful answer always carries

`data` and `meta`; an error carries `error`, with a code that never changes. Every answer has an `X-Correlation-ID` header: keep it, because it is what support needs to find the request. If APIs are new to you, start with **what an API is, in plain words**.

RECOMMENDED

Want to connect your programs to your account? The API page has the summary, the documentation with examples and the button to create your first key.

See the API page →

SEE ALSO

- **Creating an API key: name, mode, permissions, validity, IP list and spending limit** →
- **API Sandbox or Production: what each key really does, and moving your program to production** →
- **API permissions by area: read or write, and which permission each task needs** →
- **Our API's error codes: what each one means, and which ones are worth retrying** →
- **API request limits: per key, per account and per task, the headers and what to do after a 429** →
- **What an API is, in plain words: requests, answers and a REST example** →

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-2746 · v2026.11.13 · Generated on 13/11/2026 19:34