interweb

Generated on 28/11/2026 22:06

KNOWLEDGE BASE · PUBLIC DOCUMENT

Choosing the model for your agent, and what happens if it does not accept tools

Creating AI Agents

CODE	VERSION	COUNTRY · LANGUAGE
RLX-MZ-KB-3040	v2026.11.28	Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/3040

Choosing the model for your agent, and what happens if it does not accept tools

Creating AI Agents Created on **November 28, 2026** 3 min read



Each agent uses one text model, chosen in the Model field of its Settings, on the Agents tab of **All in One AI**. The agent has no price of its own: you pay for that model, at the catalogue price. So the choice changes the cost of each answer, and the quality too.

The model box

The box groups the models by the company that made them and shows, to the right of each one, the price in credits per 1 million input and output tokens. Type part of the name in Search model to find it quickly. The same prices are on the Models tab and in `GET /v1/models`, in the `pricing` field.

How to choose

What matters	What to check
Price	The instructions and the knowledge go with every request, as input tokens. For an agent with a lot of knowledge, the input price matters more than it seems.
Context	The model's `context_length` must fit the instructions, the knowledge and the conversation. You see it on the Models tab and in `GET /v1/models`.
Tools	If you turn tools on, the model must support them.
Job	For frequent questions answered from the knowledge, a fast and cheap model is usually enough. For long reasoning, choose a stronger one.

If the model does not accept tools

Nothing breaks. The agent still answers, only without the tools: it does not read pages, search the web or check today's date, even if they are turned on. No error shows up. The answer may even look right, but it comes only from the model, the instructions and the knowledge.

So if the agent never uses the tools you turned on, check the model first. These catalogue models support tools, according to the **coding tools documentation**: `moonshotai/kimi-k2.7-code`, `deepseek-ai/deepseek-v4-pro`, `zai-org/glm-5.2`, `qwen/qwen3.8-max`, `deepseek-ai/deepseek-v4-flash`, `zai-org/glm-5.3-flash`. The list of the 79 models that support tools is in the configuration block of **OpenCode with All in One AI**.

Changing the model later

Open the agent, change the model in Settings and click Save. The agent id stays the same, so programs that already use `agent/...` do not need to change anything. Test it in Try it first: another model may answer the same instructions in a different way.

If an agent's model leaves the catalogue, the box shows it with the note "unavailable". Choose another one and save.

The Maximum tokens in the reply field caps the length of each answer and the credit reservation. An API request can lower that value, but never raise it. Prices and the reservation are explained in **what an AI agent costs**.

RECOMMENDED

Want the right model for your agent? See All in One AI.

See All in One AI →

SEE ALSO

- **Choosing a text model: price, context window and what each one is for**
- **AI agent tools: reading web pages and knowing today's date**
- **Letting your agent search the web: web_search, its cost and the limit per answer**
- **What an AI agent costs, and how to test it without spending**
- **All in One AI**

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-3040 · v2026.11.28 · Generated on 28/11/2026 22:06