interweb

Generated on 28/11/2026 22:08

KNOWLEDGE BASE · PUBLIC DOCUMENT

Calling your agent from Python, Node.js or curl: the examples in Use through the API

Agents Through the API

CODE	VERSION	COUNTRY · LANGUAGE
RLX-MZ-KB-3066	v2026.11.28	Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/3066

Calling your agent from Python, Node.js or curl: the examples in Use through the API

Agents Through the API Created on **November 28, 2026** 3 min read



Each agent has a Use through the API section, on the Agents tab of **All in One AI**. There you find the agent id, with a Copy button, and three ready-made examples: curl, Python and Node.js. The examples already include the API address and the name of the key variable: `INTERWEB_API_KEY`.

The three steps in the section

1. "Create a key with the ai:write permission". The Create key in the API Center button takes you there. Keep the key in the `INTERWEB_API_KEY` variable.
2. "Put the agent in the model field". Copy the `agent/...` with the Copy button.
3. "Send the request". It works with the OpenAI SDK and with streaming. With a `sandbox_` key, the answer is a test one and uses no credits.

Keep the key in the variable

On Windows, open Command Prompt or PowerShell and type (with your key in quotes):

```
setx INTERWEB_API_KEY "prod_..."
```

`setx` saves the variable for the windows you open **afterwards**. Close the terminal and the tool, then open them again.

On Linux and macOS, type in the terminal:

```
export INTERWEB_API_KEY="prod_..."
```

To have the variable in every new terminal, add the same line at the end of `~/.bashrc` or `~/.zshrc`.

curl

In a Linux or macOS terminal:

```
curl "https://api.interweb.co.mz/v1/chat/completions" \
  -H "Authorization: Bearer $INTERWEB_API_KEY" \
  -H "Content-Type: application/json" \
    -d  '{"model":  "agent/7c1e9a42-b35d8f06-a2c4e719-5d0b3f8e",  "messages":  [{"role":
"user", "content": "Hi! What time do you open tomorrow?"}]}'
```

On Windows, use the Python or Node.js example, which work the same way on every system.

Python

Install the OpenAI SDK with `pip install openai`, save the code as `agent.py` and run `python agent.py`:

```
import os
from openai import OpenAI

client                =                OpenAI(base_url="https://api.interweb.co.mz/v1",
api_key=os.environ["INTERWEB_API_KEY"])

completion = client.chat.completions.create(
    model="agent/7c1e9a42-b35d8f06-a2c4e719-5d0b3f8e",
    messages=[{"role": "user", "content": "Hi! What time do you open tomorrow?"}],
)
print(completion.choices[0].message.content)
```

Node.js

Install the SDK with `npm install openai`, save the code as `agent.mjs` and run `node agent.mjs`. The `.mjs` ending is needed because the example uses `import` and `await` outside a function:

```
import OpenAI from "openai";

const   client   =   new   OpenAI({   baseURL:   "https://api.interweb.co.mz/v1",   apiKey:
process.env.INTERWEB_API_KEY });

const completion = await client.chat.completions.create({
  model: "agent/7c1e9a42-b35d8f06-a2c4e719-5d0b3f8e",
  messages: [{ role: "user", content: "Hi! What time do you open tomorrow?" }],
});
console.log(completion.choices[0].message.content);
```

In all three, the answer is in `choices[0].message.content` and the token count in `usage`.

The examples in the section do not include `max_tokens`. Add it if you want shorter answers than the agent's maximum: the request can lower that value, never raise it. To show the text as it is written, see **an agent's answer with streaming**.

RECOMMENDED

Want your agent answering inside your program? See All in One AI.

See All in One AI →

SEE ALSO

- **Using your AI agent through the API: agent/ in the model field**
- **Using the OpenAI SDK with All in One AI: only the address and the key change**
- **An agent's answer with streaming: why the first piece can take longer**
- **Creating an API key: name, mode, permissions, validity, IP list and spending limit**
- **All in One AI**

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-3066 · v2026.11.28 · Generated on 28/11/2026 22:08