interweb

Generated on 28/11/2026 22:17

KNOWLEDGE BASE · PUBLIC DOCUMENT

Override OpenAI Base URL in Cursor: what happens to Cursor's OpenAI models, and going back

Cursor

CODE	VERSION	COUNTRY · LANGUAGE
RLX-MZ-KB-3150	v2026.11.28	Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/3150

Override OpenAI Base URL in Cursor: what happens to Cursor's OpenAI models, and going back

Cursor Created on **November 28, 2026** 2 min read



For Cursor to use our models, you turn on **Override OpenAI Base URL** and type our address. The option does not only apply to the models you added: it applies to everything Cursor sends through its OpenAI route. Here is what changes and how to go back.

What the option does

With **Override OpenAI Base URL** on, Cursor sends its OpenAI-route requests to the address you type, with the key you put in **OpenAI API Key**. For All in One AI, the address is `https://api.interweb.co.mz/v1`, with `/v1` at the end, because Cursor only adds `/chat/completions`.

Cursor's OpenAI models

According to our documentation, while the address is overridden, requests to Cursor's OpenAI models also come to our API. If the name Cursor sends is not an id in our catalogue, the API answers `404 model_not_found`. Our ids always have a slash, such as `moonshotai/kimi-k2.7-code`.

So, with the option on, use the models you added under **Add Custom Model** in the chat.

Going back

1. Open **Cursor Settings** and then **Models**.
2. Turn off **Override OpenAI Base URL**. Cursor's OpenAI models stop coming to us.
3. Also turn off **OpenAI API Key**, or delete the key there. Otherwise Cursor keeps sending your Interweb key with requests to OpenAI models, which do not accept it.

4 The models you added under **Add Custom Model** stop reaching us. You can leave them in the list for next time.

To go back to our models, turn both options on again and check the address `https://api.interweb.co.mz/v1`.

These menu names come from our documentation.

Cursor's help page on your own keys does not mention this option, and Cursor changes its settings often. If you need Cursor's models and ours on the same day, a separate tool saves you switching back and forth: Cline or Kilo Code in VS Code. See **which tool to choose**.

RECOMMENDED

Want our models in Cursor? Visit the Coding with AI page.

See Coding with AI →

SEE ALSO

- **Cursor with All in One AI: your key, our address and the models to add**
- **Cursor errors: 401, model not found and the /v1 address**
- **Adding more models in Cursor: Add Custom Model and the id with the slash**
- **Which coding tool to use with All in One AI: OpenCode, Claude Code, Codex, Cursor, Cline, Kilo Code or Aider**
- **Coding with AI in All in One AI**

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-3150 · v2026.11.28 · Generated on 28/11/2026 22:17