interweb

Generated on 28/11/2026 22:21

KNOWLEDGE BASE · PUBLIC DOCUMENT

Kilo Code reads our model list: choosing models without typing ids

Kilo Code

CODE
RLX-MZ-KB-3200

VERSION
v2026.11.28

COUNTRY · LANGUAGE
Mozambique · English

Interweb Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.interweb.co.mz/knowledgebase/3200

Kilo Code reads our model list: choosing models without typing ids

Kilo Code Created on **November 28, 2026** 3 min read



In the Kilo Code extension for VS Code, you do not need to copy model ids. When you create the Interweb provider, Kilo Code asks our API for the list and shows it in a picker with search. You just choose.

How it works

As soon as the **Base URL** and the **API key** are right, Kilo Code calls `GET /v1/models` at our address and fills the **Models** field. The search is approximate: type `kimi` or `glm` and the matching models show. If the list does not load, click **Fetch models** to try again.

Listing the models spends no credits, and the list is the same with a `sandbox_` key and a `prod_` key.

The steps

1. Open the settings (the gear icon), the **Providers** tab and, at the end of the list, **Custom provider**.
2. Fill in **Provider ID**, **Display name**, **Provider API** (**OpenAI Compatible**), **Base URL** (`https://api.interweb.co.mz/v1`) and **API key**. What to put in each field is in **Provider ID, Display name and Provider API**.
3. In **Models**, search for and choose the models you want.
4. Click **Submit**. The models now show in the model picker.

What is in the list

The list has every model on sale, not only the text ones. Your agents come first, with ids that start with `agent/` . Then come the text, image, video and voice models.

For coding, choose text models that support tools. An image, video or voice model does not work in chat: the API answers `404 model_not_found`.

Model	Context	What for
`moonshotai/kimi-k2.7-code`	262,144 tokens	Built for coding: the starting point for everyday work.
`deepseek-ai/deepseek-v4-pro`	1,048,576 tokens	Strong reasoning, for big changes and hard bugs.
`zai-org/glm-5.2`	1,048,576 tokens	Made for agents: handles tools well in long tasks.
`deepseek-ai/deepseek-v4-flash`	1,048,576 tokens	Fast and cheap, for background tasks and short questions.

The full list of the 79 models that support tools is in the block in **Kilo Code with All in One AI**.

If the list does not show

What happens	What to do
Nothing loads.	Check the **Base URL**, with `/v1` at the end, and the key. Then click **Fetch models**.
`401` **or "Invalid API Key".**	The key is wrong or incomplete. Paste it again, with no spaces.
`403 insufficient_scope`	The key does not have `ai:read`. Create one with `ai:read` and `ai:write`.
You prefer to type.	You can also type the ids by hand, exactly as they are in the catalogue, with the slash.

On the command line

The `kilo` program reads the models from the `kilo.jsonc` file, and only the ones you write there show: see **the global kilo.jsonc file**. To see the models it finds for the Interweb provider, type `kilo models api`.

RECOMMENDED

Want to pick between our models in VS Code? Visit the Coding with AI page.

See Coding with AI →

SEE ALSO

- **Kilo Code with All in One AI: the custom provider in VS Code and kilo.jsonc in the CLI**
- **Provider ID, Display name and Provider API in Kilo Code: what to fill in**
- **Choosing a model for Kilo Code: models that accept tools**
- **Kilo Code on the command line: the global kilo.jsonc file**
- **Coding with AI in All in One AI**

interweb

Interweb Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@interweb.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.interweb.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-3200 · v2026.11.28 · Generated on 28/11/2026 22:21